

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 May 2007

(For the Period 15 April 2007 to 30 April 2007)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have most interested in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-70953B	Buffer, Recoil Mechanism Assembly, M119A1/A2 Howitzer, Light, Towed: 105MM [CUST: AR]	C	1015		AR	09-FEB-2007
N	MIL-HDBK-513	Air Vehicle Low Observable Integrity Program General Guidelines for [CUST: AS 11]		15GP		11	16-APR-2007
M	QPL-9370-27 NOT 1	Valve, Automatic, Pressure Regulating, Anti-G Suit (Replaced by the Qualified Products Database (QPD) see Notice 1 for Additional Information)	A	1660		AS	03-APR-2007
M	QPL-19246-14 NOT 3	Connector, Oxygen Mask Hose, Type MC-3A (Replaced by the Qualified Products Database (QPD) see Notice 3 for Additional Information)	A	1660		AS	12-APR-2007
M	QPL-19803-21 NOT 3	Converter, Liquid Oxygen, 10 Liter, GCU-24/A (Replaced by the Qualified Products Database (QPD) see Notice 3 for Additional Information)	A	1660		AS	03-APR-2007
M	MIL-N-27444D NOT 3	Net, Cargo Tiedown, Pallets, HCU-7/E, HCU-15/C, HCU-11/C, and HCU-16/C [CUST: 99]	A	1670		84	23-APR-2007
M	QPL-AS6039-2 NOT 1	Bearings, Ball, Rod End, Double Row, Self-Aligning (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	3110		AS	25-APR-2007
M	MIL-PRF-25369D(1)	Cartridge, Inflator, Flotation Gear, (Carbon Dioxide), (for the Inflation of Pneumatic Life Preservers) [CUST: SH 11] [REVIEW: AS CC]	A	4220		11	30-MAR-2007
M	QPL-81542-22 NOT 1	Life Raft, Inflatable, Single-Place (Replaced by the Qualified Products Database (QPD) see Notice 1 for Additional Information)	A	4220		AS	03-APR-2007
M	MS28759D	Hose Assembly, Rubber, Hydraulic, 3,000 PSI, Straight to Straight, Flared Tube Field Attachable [CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA]	A	4720		CC	19-APR-2007
M	MS28762D	Hose Assembly, Rubber, Hydraulic 3000 PSI, Straight to Straight, Flareless Tube Field Attachable [CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA]	A	4720		CC	19-APR-2007
M	MS28920C	Hose Assembly, Rubber, Hydraulic, (3,000 PSI), Straight to Elbow 45 Degrees, Flared Tube Field Attachable [CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA]	A	4720		CC	19-APR-2007
M	MS28924C	Hose Assembly, Rubber, Hydraulic, 3,000 PSI, Elbow 90 Degrees to Elbow 90 Degrees, Flared Tube [CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA]	A	4720		CC	19-APR-2007
M	QPL-81581-1 NOT 1	Hose Assemblies, Breathing Oxygen and Air, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice 1 for Additional Information)	A	4720		AS	05-APR-2007
M	MS28781E	Fitting End, 90 Degrees Elbow, Attachable, Hydraulic, High Pressure Hose (3,000 PSI), Flared Tube [CUST: AT AS 99 CC] [REVIEW: 71 AV CG MC MI SA SH]	A	4730		CC	24-APR-2007
M	MIL-PRF-55182H(2) SUP 1A	Resistors, Fixed, Film, Nonestablished Reliability, Established Reliability, and Space Level, General Specification for [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG EA MC NA OS]	A	5905		CR	22-MAR-2007
M	MIL-PRF-39018/4D	Capacitors, Fixed, Electrolytic (Aluminum Oxide) (Polarized), Non-Established Reliability and Established Reliability Styles CU71 (Insulated) and CUR71 (Insulated) [CUST: CR EC 11 CC] [REVIEW: 19 AS MC MI OS SH]	A	5910		CC	12-APR-2007
M	QPL-39014-114	Capacitor, Fixed, Ceramic Dielectric (General Purpose), Established Reliability and Nonestablished Reliability, General Specification for	A	5910		CR	05-APR-2007
M	QPL-49467-7	Capacitor, Fixed, Ceramic, Multilayer, High Voltage (General Purpose), General Specification for	A	5910		CR	12-APR-2007
M	A-A-59747A	Fuseholder Block, Dead-Front, 30 Amperes, Accommodates Class J Fuse Cartridges, General Requirements for [CUST: EC CC]	A	5920	/	CC	10-APR-2007
M	A-A-59747/1A	Fuseholder Block, Dead-Front, 30 Amperes, 1 Pole Accommodates Underwriter Laboratory (UL) Class J Fuse Cartridges [CUST: EC CC]	A	5920	/	CC	10-APR-2007
M	A-A-59747/2A	Fuseholder Block, Power-Safe, Dead-Front, 30 Amperes, 2 Poles, Accommodates Underwriter Laboratory (UL) Class J Fuse Cartridges [CUST: EC CC]	A	5920	/	CC	10-APR-2007
M	A-A-59747/3A	Fuseholder Block, Power-Safe, Dead-Front, 30 Amperes, 3 Poles, Accommodates Underwriter Laboratory (UL) Class J Fuse Cartridges [CUST: EC CC]	A	5920	/	CC	10-APR-2007
M	MIL-DTL-15743/17B	Switch, Rotary, Enclosed, Submersible (15 Feet), Contact Maker, Six Pole, Two-Position, Spring-Return, 125 Volts Alternating Current, 10 Ampere, Symbol 2638.1 [CUST: SH CC]	A	5930		CC	12-MAR-2007
M	QPL-5594-12 NOT 1	Switches, Toggle, Electrically Held Sealed, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice 1 for Additional Information)	A	5930		AS	13-APR-2007
M	MIL-PRF-39012/134A(1) NOT 1	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, Series SMC, Printed Circuit Board Mount, Right Angle [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI NA OS SH]	A	5935		CC	30-APR-2007
M	MIL-PRF-39012/135B(1) NOT 1	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, Series SSMB, Printed Circuit Board Mount, Right Angle [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI NA OS SH]	A	5935		CC	30-APR-2007
M	MIL-PRF-39012/141B(1) NOT 1	Connectors, Receptacle, Electrical, Coaxial, Radio Frequency, Series SSMB, Printed Circuit Board Mount, Straight [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935		CC	30-APR-2007
M	MS3115F	Connectors, Receptacle, Electrical, Dummy Stowage, Bayonet Coupling, for MIL-DTL-26482 Connectors, Series 1 and 2 [CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MI SH]	A	5935		CC	01-MAR-2007
M	MS3187F	Plug, End Seal, for MIL-DTL-26482, MIL-DTL-5015, MIL-C-81703 and MIL-DTL-83723 Electrical Connectors [CUST: CR AS 11 CC] [REVIEW: AR AV EC MI SH]	A	5935		CC	01-MAR-2007
M	MS3470E	Connectors, Receptacle, Electrical, Series II, Crimp Type, Narrow Flange Mount, Bayonet Coupling Classes A, L and W [CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MC SH]	A	5935		CC	01-MAR-2007
M	MS3471E	Connectors, Receptacle, Electrical, Series II, Crimp Type, Cable Connecting, Bayonet Coupling, Classes A, L and W [CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC SH]	A	5935		CC	01-MAR-2007
M	MS3473B	Connectors, Receptacle, Electrical, Series II, Hermetic, Solderless, Solder Mounting, Bayonet Coupling, Class N [CUST: CR AS 11 CC] [REVIEW: AV EC SH]	A	5935		CC	01-MAR-2007
M	MS3474J	Connectors, Receptacle, Electrical, Series II, Crimp Type, Rear Mounting Jam Nut, Bayonet Coupling, Classes A, L, and W [CUST: CR AS 11 CC NA] [REVIEW: 99 AR AV EC MC SH]	A	5935		CC	01-MAR-2007
M	MS3475E	Connectors, Plug, Electrical, RFI Shielded, Series II, Crimp Type, Bayonet Coupling, Classes L and W [CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC SH]	A	5935		CC	01-MAR-2007
M	MS3479C	Connectors, Receptacle, Electrical, Series II, Hermetic, Solderless, Rear Mounting, Jam Nut, Bayonet Coupling, Class N [CUST: CR AS 11 CC] [REVIEW: AR AV EC MI SH]	A	5935		CC	01-MAR-2007
M	MS3481A	Tool, Connector Assembly, for MIL-DTL-26482 Connectors [CUST: CR AS CC] [REVIEW: EC GL]	A	5935		CC	01-MAR-2007
M	MS27501G NOT 1	Connectors, Electrical, Circular, Cover, Protective, Plug, Bayonet Coupling, Series I [CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	30-APR-2007
M	MS27656D NOT 1	Connectors, Receptacle, Electrical, Back Panel, Wall Mounting Flange, Crimp Type, Bayonet Coupling, Series I [CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	30-APR-2007
M	A-A-55469/2A NOT 1	Connectors, Electrical, Plugs, Tip, Dual (Banana Plug) [CUST: CC]	A	5935	/	CC	30-APR-2007
M	MIL-PRF-83536/7A NOT 1	Relays, Electromagnetic, Established Reliability, 4PDT, Low Level to 5 Amperes, Permanent Magnet Drive, Magnetic Latch, Hermetically Sealed, All Welded, DC Coils [CUST: CR EC 11 CC] [REVIEW: 99]	A	5945		CC	01-MAY-2007
M	MIL-PRF-83536/10B NOT 1	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 10 Amperes, Permanent Magnet Drive, Hermetically Sealed, All Welded, Transient Suppressed DC Coils [CUST: CR EC 11 CC] [REVIEW: 99]	A	5945		CC	01-MAY-2007

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-83729B NOT 1	Choppers, Electromechanical, General Specification for [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS]	A	5945		CC	26-APR-2007
M	MIL-DTL-83729/1D NOT 1	Choppers, Electromechanical, Single Pole, Double Throw, Break before Make [CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CR4 MC MI OS]	A	5945		CC	26-APR-2007
M	MIL-DTL-83729/2C NOT 1	Choppers, Electromechanical, Dust Tight, Single Pole, Double Throw, Make before Break [CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CR4 MC MI OS]	A	5945		CC	26-APR-2007
M	MIL-DTL-83729/3B NOT 1	Choppers, Electromechanical, Hermetically Sealed, Single Pole, Double Throw, Break before Make, Bracket Mount [CUST: EC CC]	A	5945		CC	26-APR-2007
M	MIL-DTL-83729/4B NOT 1	Choppers, Electromechanical, Hermetically Sealed, Single Pole, Double Throw, Break before Make [CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CR4 MC MI OS]	A	5945		CC	26-APR-2007
M	MIL-DTL-83729/6B NOT 1	Choppers, Electromechanical, Hermetically Sealed, Single Pole, Double Throw, Break before Make [CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV MC MI OS]	A	5945		CC	26-APR-2007
M	MIL-PRF-19500/503E	Semiconductor Device, Diode, Silicon, Power Rectifier, Ultra Fast Recovery, Types 1N6073 Through 1N6081, JAN, JANTX, JANTXV, and JANHC [CUST: CR EC 11 CC NA] [REVIEW: 99 AR]	A	5961		CC	11-APR-2007
M	MIL-HDBK-103Z	List of Standard Microcircuit Drawings [CUST: CC]	A	5962		CC	29-MAR-2007
M	MIL-PRF-25670/2C(1) NOT 1	Earphone Element, High- and Low-Altitude, H-143/AIC, and Low-Altitude, Water-Immersible, H-143A/AIC [CUST: CR 11 CC] [REVIEW: 99]	A	5965		CC	30-APR-2007
N	MIL-PRF-85045/28	Cable, Fiber Optic, Nineteen Tube, Blown Optical Fiber, Standard and Enhanced Performance, Cable Configuration Type 5 (Tube), Application B (Shipboard), Cable Class SM and MM, (Metric) [CUST: SH 99 CC]	A	6015		CC	27-MAR-2007
N	MIL-PRF-85045/29	Cable, Fiber Optic, Twelve/Eighteen Fiber Bundle, Blown Optical Fiber Cable Configuration Type 3 (Cable Bundle), Application B (Shipboard), Cable Class SM and MM, (Metric) [CUST: SH 99 CC]	A	6015		CC	27-MAR-2007
M	MIL-PRF-49080C	Power Supplies, PP-2953D/U and PP-6224C/U [CUST: CR]	A	6130		CR	26-MAR-2007
M	QPL-32143-2	Batteries, Storage, Automotive: Valve Regulated Lead Acid (VRLA)	A	6140		AT	10-APR-2007
N	QPL-AS81044	Wire, Electrical, Crosslinked Polyalkene, Crosslinked Alkane-Imide Polymer, or Polyarylene Insulated, Copper or Copper Alloy	A	6145		AS	20-APR-2007
N	SAE-AS81044	Wire, Electrical, Crosslinked Polyalkene, Crosslinked Alkane-Imide Polymer, or Polyarylene Insulated, Copper or Copper Alloy [CUST: CR AS 11 CC] [REVIEW: AR AT AV EA EC IS MC MI OS]	A	6145		AS	20-APR-2007
N	SAE-AS81044/5	Wire, Electric, Crosslinked Polyalkene Insulated, Silver-Coated Copper, Normal Weight, 600-Volt, 150 Degrees C [CUST: AS 11 CC]	A	6145		AS	20-APR-2007
N	SAE-AS81044/6	Wire, Electric, Crosslinked Polyalkene Insulated, Tin-Coated Copper, Normal Weight, 600-Volt, 150 Degrees C [CUST: CR AS 11 CC] [REVIEW: 99 AT AV EC IS MC MI OS]	A	6145		AS	20-APR-2007
N	SAE-AS81044/7	Wire, Electric, Crosslinked Polyalkene Insulated, Silver-Coated High Strength Copper Alloy, Normal Weight, 600-Volt, 150 Degrees C [CUST: CR AS 11 CC] [REVIEW: AR AT AV EC IS MC MI OS]	A	6145		AS	20-APR-2007
N	SAE-AS81044/8	Wire, Electric, Crosslinked Polyalkene Insulated, Silver-Coated Copper, Medium Weight, 600-Volt, 150 Degrees C [CUST: AS 11 CC]	A	6145		AS	20-APR-2007
N	SAE-AS81044/9	Wire, Electric, Crosslinked Polyalkene Insulated, Tin-Coated Copper, Medium Weight, 600-Volt, 150 Degrees C [CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV EC IS MC MI OS]	A	6145		AS	20-APR-2007
N	SAE-AS81044/10	Wire, Electric, Crosslinked Polyalkene Insulated, Silver-Coated High Strength Copper Alloy, Medium Weight, 600-Volt, 150 Degrees C [CUST: CR AS 11 CC] [REVIEW: AR AT AV EA EC IS MC MI OS]	A	6145		AS	20-APR-2007
N	SAE-AS81044/11	Wire, Electric, Crosslinked Polyalkene Insulated, Silver-Coated Copper, Light Weight, 600-Volt, 150 Degrees C [CUST: AS 11 CC]	A	6145		AS	20-APR-2007
M	MIL-PRF-32144A	Clock, Aircraft, Electronic [CUST: AV 71] [REVIEW: 06 GS]	A	6645		71	18-APR-2007
M	QPL-53021-10 NOT 1	Stabilizer Additive, Diesel Fuel (Replaced by the Qualified Products Database (QPD) see Notice 1 for Additional Information)	A	6850		AT	02-FEB-2007
M	QPL-64159-11	Coating, Water Dispersible Aliphatic Polyurethane, Chemical Agent Resistant	A	8010		MR	12-APR-2007
M	QPL-81945-7 NOT 1	Coating Compounds, Weapon Insulation, Intumescent (Replaced by the Qualified Products Database (QPD) see Notice 1 for Additional Information)	A	8030		AS	12-APR-2007
M	A-A-52094A	Thread, Cotton [CUST: GL NU 11 CT] [REVIEW: 99 AR EA MC MD]	A	8310	/	CT	30-MAR-2007
M	A-A-55217A	Thread, Aramid, Spun Staple [CUST: GL NU 11] [REVIEW: 99 AS MD]	A	8310	/	CT	16-MAR-2007
M	MIL-PRF-17331J(1)	Lubricating Oil, Steam Turbine and Gear, Moderate Service [CUST: SH]	A	9150		SH	30-MAR-2007
M	MIL-PRF-32073A	Hydraulic Fluid, Biobased [CUST: AT AS 68] [REVIEW: 03 AV DP DS GS3 MC MD MI OS SA SH SM]	A	9150		AT	05-APR-2007
M	QPL-3150-34 NOT 1	Lubricating Oil, Preservative, Medium (Replaced by the Qualified Products Database (QPD) see Notice 1 for Additional Information)	A	9150		AT	15-MAR-2007
M	QPL-17331-107 NOT 1	Lubricating Oil, Steam Turbine and Gear, Moderate Service (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	9150		SH	20-APR-2007
M	QPL-32033-6 NOT 1	Lubricating Oil, General Purpose, Preservative (Water-Displacing, Low Temperature) (Replaced by the Qualified Products Database (QPD) see Notice 1 for Additional Information)	A	9150		AT	15-MAR-2007
M	DI-FNCL-81565B	Cost Data Summary Report (DD Form 1921) [AMSC: D7721]	A	FNCL		SO	20-APR-2007
M	DI-FNCL-81566B	Functional Cost-Hour Report (DD Form 1921-1) [AMSC: D7720]	A	FNCL		SO	20-APR-2007
M	DI-FNCL-81567B	Progress Curve Report (DD Form 1921-2) [AMSC: D7727]	A	FNCL		SO	20-APR-2007
N	DI-HFAC-81742	Human Engineering Program Plan [AMSC: N7715]	A	HFAC		SA	04-APR-2007
N	DI-HFAC-81743	Human Systems Integration Program Plan [AMSC: N7716]	A	HFAC		SA	04-APR-2007
M	STANAG-1167 ED.17	NATO Above Water Warfare Manual - ATP-31(B)	C	ISDN		NI	11-MAY-2006
M	STANAG-1242 ED.17	Naval Mine Warfare Principles - ATP-6(C) Volume I	C	ISDN		NI	22-NOV-2006
M	STANAG-1243 ED.17	Naval Mine Countermeasures Operations, Planning and Evaluation ATP-6(C) Volume II	C	ISDN		NI	22-NOV-2006
M	DI-MGMT-81334C	Contract Work Breakdown Structure [AMSC: D7722]	A	MGMT		SO	20-APR-2007
N	DI-MGMT-81739	Software Resources Data Reporting: Initial Developer Report and Data Dictionary [AMSC: D7724]	A	MGMT		SO	20-APR-2007
N	DI-MGMT-81740	Software Resources Data Reporting: Final Developer Report and Data Dictionary [AMSC: D7725]	A	MGMT		SO	20-APR-2007
M	DI-MISC-80914B	Small Arms Serialization Program (SASP) Transaction Card [AMSC: A7717]	A	MISC		AR	16-MAR-2007
M	DI-QCIC-80278B	Calibration and Measurement Requirements Summary (CMRS) [AMSC: F7719]	A	QCIC		36	13-APR-2007

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-R-93F SUP 1	Resistors, Fixed, Wire Wound, (Accurate), General Specification for [CUST: CR EC 11 CC] [REVIEW: 19 AS AV CG MC MI OS]	A	5905		CC	05-APR-2007
M	MIL-R-93/10G(1)	Resistors, Fixed, Wire Wound (Accurate), Style RB52 [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AV CR4 MC MI]	A	5905		CC	05-APR-2007
M	MIL-R-93/11E(1)	Resistors, Fixed, Wire Wound (Accurate), Style RB53 [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AV CR4 MC MI]	A	5905		CC	05-APR-2007
M	MIL-R-93/12E(1)	Resistors, Fixed, Wire Wound (Accurate), Style RB54 [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AV CR4 MC MI]	A	5905		CC	05-APR-2007
M	MIL-R-93/13E(1)	Resistors, Fixed, Wire Wound (Accurate), Style RB55 [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AV CR4 MC MI]	A	5905		CC	05-APR-2007
M	MIL-R-93/14E(1)	Resistors, Fixed, Wire Wound (Accurate), Style RB56 [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AV CR4 MC MI]	A	5905		CC	05-APR-2007
M	MIL-R-93/19C(1)	Resistors, Fixed, Wire Wound (Accurate), Style RB70 [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AV CR4 MC MI]	A	5905		CC	05-APR-2007
M	MIL-R-93/20C(1)	Resistors, Fixed, Wire Wound (Accurate), Style RB71 [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AV CR4 MC MI]	A	5905		CC	05-APR-2007
M	MS3110E	Connectors, Receptacle, Electrical, Solder Type, Wall Mounting, Bayonet Coupling, Series 1 [CUST: CR AS 11 CC] [REVIEW: AV EC SH]	A	5935		CC	01-MAR-2007
M	MS3111D	Connectors, Plug, Electrical, Solder Type, Cable Connecting, Bayonet Coupling, Classes E, F, J, and P, Series 1 [CUST: CR AS 11 CC] [REVIEW: AV EC SH]	A	5935		CC	01-MAR-2007
M	MS3112H	Connectors, Receptacle, Electrical, Box Mounting, Flange, Bayonet Coupling, Solder Contact, Series 1 [CUST: CR AS 11 CC] [REVIEW: AV SH]	A	5935		CC	01-MAR-2007
M	MS3119E	Connectors, Receptacle, Electrical, Thru-Bulkhead Mounting, Flange, Bayonet Coupling, Series 1 [CUST: CR AS 11 CC] [REVIEW: 99 AV EC]	A	5935		CC	01-MAR-2007
M	MS3122F	Connectors, Receptacle, Electrical, Crimp Type, Box Mounting, Flange, No. 4 Holes, Bayonet Coupling, Series 1 [CUST: CR AS 11 CC] [REVIEW: AV SH]	A	5935		CC	01-MAR-2007
M	MS3440C	Connectors, Receptacle, Electrical, Narrow Flange Mount, Bayonet Coupling, Solder Pin Contact, Class H, Series 2 [CUST: CR AS 11 CC] [REVIEW: 99 AV EC SH]	A	5935		CC	01-MAR-2007
M	MS3442C	Connectors, Receptacle, Electrical, Wide Flange Mount, Bayonet Coupling, Solder Pin Contact, Class H, Series 2 [CUST: CR AS 11 CC] [REVIEW: 99 AV EC SH]	A	5935		CC	01-MAR-2007
M	MS3449D	Connectors, Receptacle, Electrical, Series II, Single Hole Mount, Bayonet Coupling, Solder Pin Contact, Class H [CUST: CR AS 11 CC] [REVIEW: 99 AR AV EC MI SH]	A	5935		CC	01-MAR-2007
M	MIL-PRF-1/1159D	Electron Tube, Power Type 705WA [CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG CR4 MC OS]	A	5960		CC	17-APR-2007
M	MIL-PRF-1/690D	Electron Tube, Gas Type 5517 [CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI OS SH]	A	5960		CC	10-APR-2007
M	MIL-PRF-1/894F	Electron Tube, Thyratron Type 884 [CUST: CR EC 11 CC] [REVIEW: 99 AS CG MC OS SH]	A	5960		CC	10-APR-2007
M	MIL-PRF-1/1047C	Electron Tube, Negative Grid (Microwave) Type 2C41 [CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC OS]	A	5960		CC	10-APR-2007
M	MIL-M-38510/331A(1) NOT 3	Microcircuits, Digital, Bipolar, Low-Power Schottky TTL, Flip-Flops, Cascadable, Monolithic Silicon [CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	30-APR-2007
M	MIL-M-38510/379A NOT 3	Microcircuits, Digital, Advanced Low Power Schottky TTL, Universal Multiplexer with Three-State Outputs, Monolithic Silicon [CUST: CR EC 11 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	30-APR-2007
M	MIL-DTL-23806B	Cable, Radio Frequency, Coaxial, Semirigid, Foam Dielectric, General Specification for [CUST: CR SH 11 CC] [REVIEW: 71 AR AV MC MD MI SA YD]	A	6145		CC	22-FEB-2007
M	MIL-DTL-23806/2D	Cable, Radio Frequency, Coaxial, Semirigid, Foam Dielectric, .875 Inch, 50 and 75 OHM, (RG-332/U, RG-333/U, RG-336/U and RG-306A/U) [CUST: CR EC 11 CC] [REVIEW: 71 AR AV MC MI MS SA YD]	A	6145		CC	22-FEB-2007
M	O-D-1435B NOT 2	Sanitizer, Phenolic Type, Concentrate [CUST: GL 68 GS3] [REVIEW: MD]	A	6840	/	GS3	17-APR-2007
M	MIL-STD-871B	Electro-Chemical Stripping of Inorganic Finishes [CUST: 70]	A	MFFP		70	01-MAR-2007

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	A-A-59346 NOT 1	Lathe, Flatbed, Horizontal-Spindle, and Turning Center, Flatbed, Horizontal-Spindle, Computer Numeric Control (CNC)(No S/S Document) [CUST: AR SH 99 GS6] [REVIEW: 84 MC]	A	3416	/	GS6	05-APR-2007
M	A-A-55481/1 NOT 2	Tape, Video Recording, Cassette, Video Home System (VHS) Format, 0.5-Inch (IN.) Width, Standard or High Grade (No S/S Document) [CUST: IS]	A	5836	/	IS	16-APR-2007
M	A-A-55481/2 NOT 2	Tape, Video Recording, Cassette, SuperVideo Home System (S VHS) Format, 0.5-Inch (IN.) Wide (No S/S Document) [CUST: IS]	A	5836	/	IS	16-APR-2007
M	A-A-55481/3 NOT 2	Tape, Video Recording, Cassette, Video Home System With Compact Cassette(VHS C) and Super VHS C (S VHS C) FORMAT, 0.5-Inch (IN.) Wide (No S/S Document) [CUST: IS]	A	5836	/	IS	16-APR-2007
M	A-A-55481/4 NOT 2	Tape, Video Recording, Cassette, 8 Millimeter (MM) (0.314-Inch) Wide, Metal Particle (MP) Type, Standard or High Grade (No S/S Document) [CUST: IS]	A	5836	/	IS	18-APR-2007
M	MIL-C-17/165A NOT 3	Cable, Radio Frequency Coaxial 50 OHMS M17/165-00001 and M17/165-00002 (See Notice 3 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD]	A	6145		CC	13-MAR-2007
M	MIL-C-17/166B NOT 3	Cable, Radio Frequency, Flexible, Coaxial, 50 OHMS, M17/166-00001 (See Notice 3 for Replacement Information) [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AT CR4 IS MC MI OS SH TD]	A	6145		CC	13-MAR-2007
M	MIL-W-81044B(3) SUP 1A NOT 1	Wire, Electrical, Crosslinked Polyalkene, Crosslinked Alkane-Imide Polymer, or Polyarylene Insulated, Copper or Copper Alloy (S/S by SAE-AS81044) [CUST: CR AS 11 CC] [REVIEW: AR AT AV EA EC IS MC MI OS]	A	6145		AS	20-APR-2007
M	MIL-W-81044/5C(1) NOT 4	Wire, Electric, Crosslinked Polyalkene Insulated, Silver-Coated Copper, Normal Weight, 600-Volt, 150 Degrees C (S/S By SAE-AS81044/5) [CUST: AS 11 CC]	A	6145		AS	20-APR-2007
M	MIL-W-81044/6C(2) NOT 1	Wire, Electric, Crosslinked Polyalkene Insulated, Tin-Coated Copper, Normal Weight, 600-Volt, 150 Degrees C (S/S by SAE-AS81044/6) [CUST: CR AS 11 CC] [REVIEW: 99 AT AV EC IS MC MI OS]	A	6145		AS	20-APR-2007
M	MIL-W-81044/7B NOT 1	Wire, Electric, Crosslinked Polyalkene Insulated, Silver-Coated High Strength Copper Alloy, Normal Weight, 600-Volt, 150 Degrees C (S/S by SAE-AS81044/7) [CUST: CR AS 11 CC] [REVIEW: AR AT AV EC IS MC MI OS]	A	6145		AS	20-APR-2007
M	MIL-W-81044/8C(1) NOT 4	Wire, Electric, Crosslinked Polyalkene Insulated, Silver-Coated Copper, Medium Weight, 600-Volt, 150 Degrees C (S/S by SAE-AS81044/8) [CUST: AS 11 CC]	A	6145		AS	20-APR-2007
M	MIL-W-81044/9B(1) NOT 1	Wire, Electric, Crosslinked Polyalkene Insulated, Tin-Coated Copper, Medium Weight, 600-Volt, 150 Degrees C (S/S by SAE-AS81044/9) [CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV EC IS MC MI OS]	A	6145		AS	20-APR-2007
M	MIL-W-81044/10B NOT 1	Wire, Electric, Crosslinked Polyalkene Insulated, Silver Coated High Strength Copper Alloy, Medium Weight, 600-Volt, 150 Degrees C (S/S by SAE-AS81044/10) [CUST: CR AS 11 CC] [REVIEW: AR AT AV EA EC IS MC MI OS]	A	6145		AS	20-APR-2007
M	MIL-C-29184/9B NOT 3	Cable Assemblies, Power, Electrical, for Portable Panelboards: Type IV, Class 1, 100 Ampere (No S/S Document) [CUST: CR4 MC 99] [REVIEW: 71]	A	6150		GS2	17-APR-2007
M	MIL-C-29184/10B NOT 3	Cable Assemblies, Power, Electrical, for Portable Panelboards: Type IV, Class 1, 60 Ampere (No S/S Document) [CUST: CR4 MC 99] [REVIEW: 71]	A	6150		GS2	17-APR-2007
M	MIL-C-29184/11B NOT 3	Cable Assemblies, Power, Electrical, for Portable Panelboards: Type IV, Class 1, 30 Ampere (No S/S Document) [CUST: CR4 MC 99 GS2] [REVIEW: 71]	A	6150		GS2	17-APR-2007
M	MIL-C-29184/12B NOT 3	Cable Assemblies, Power, Electrical, for Portable Panelboards: Type IV, Class 1, 20 Ampere (No S/S Document) [CUST: CR4 MC 99 GS2] [REVIEW: 71]	A	6150		GS2	17-APR-2007
M	MIL-C-29184/16A NOT 3	Cable Assemblies, Power, Electrical, for Portable Panelboards: Type IV, Class 1, 40 Ampere (No S/S Document) [CUST: CR4 MC 99 GS2] [REVIEW: 71 MS]	A	6150		GS2	17-APR-2007